

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	4328619	@ed<"20030627"	US-PGRUB; USPAT	OR	ON	2008/07/18 17:16
L2	2	L1 and (((equal-cost (equal adj cost) equalcost)) same weight) and hash\$3	US-PGRUB; USPAT	OR	ON	2008/07/18 17:16
L10	9	(Updat\$3 renew\$3 chang\$3) with ((best adj fit) near algorithm)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:35
L12	38	(Updat\$3 renew\$3 chang\$3) with ((best) near algorithm)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:36
L14	7	(Updat\$3) with ((best) near algorithm)	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:37
L15	6	1 and 14	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:37
L16	171	updat	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:39
L17	2024	updat\$3 with table with path	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:39
L18	10	updat\$3 with table with path with weight	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:39

L19	4	1 and 18	US-PGPUB; USPAT; USCOR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 17:40
S1	788	"370/238".CCL.S	US-PGPUB; USPAT	OR	OFF	2007/08/27 10:59
S2	1799	path near cost	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:47
S3	167	S1 and S2	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:00
S4	2175	path near cost	US-PGPUB; USPAT	OR	ON	2007/08/27 11:00
S5	183	S1 and S4	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:18
S6	2	("20040264380").PNL	US-PGPUB; USPAT; USCOR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 11:01
S7	21	S5 and attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 11:18
S8	50	path near (equal adj cost)	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:06
S9	126	{{(MOHAN) near2 (KALKUNTE)}.INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:55
S10	27	{{(SRINIVAS) near2 (SAMPATH)}.INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:56
S11	6	{{(KAPAGADA) near2 (KISHORE)}.INV.	US-PGPUB; USPAT	OR	ON	2007/08/27 11:56
S12	1	S9 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S13	1	S10 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S14	1	S11 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S15	4	S11 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:57
S16	16	S10 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 11:59
S17	55	S9 and (path)	US-PGPUB; USPAT	OR	ON	2007/08/27 12:01
S18	27	path with cost with packet with equal	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:07
S19	261	path with cost with packet	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:28

S20	97367	S19 attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 12:07
S21	35	S19 and attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:27
S22	1	S19 with attribute	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:27
S23	6	(equal adj path) with cost	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:37
S24	1	(equal adj path adj cost)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:43
S25	568	(path adj cost)and (routing)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:43
S26	111	(path adj cost)and (routing adj table)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:44
S27	6	(path adj cost) with (routing adj table)	US-PGPUB; USPAT	OR	OFF	2007/08/27 13:45
S28	56	(path adj cost) with (peer equal match)	US-PGPUB; USPAT	OR	OFF	2007/08/27 14:18
S29	61	(equal-cost (equal adj cost) (match adj cost)) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 14:29
S30	808	(equal-cost (equal adj cost) (match adj cost) multipath) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 14:30
S31	1159	(equal-cost (equal adj cost) (match adj cost) multipath multi-path) with (packet frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:15
S32	106	S31 and attribute	US-PGPUB; USPAT	OR	ON	2007/08/27 14:59
S33	86	S32 not S29	US-PGPUB; USPAT	OR	ON	2007/08/27 14:56
S34	4	S31 and (packet near attribute)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:04
S35	3	S31 and (packet adj attribute)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:04
S36	477	S31 and (rou\$4)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:16
S37	72	S36 and attribute	US-PGPUB; USPAT	OR	ON	2007/08/27 15:16
S38	52	S37 not S29	US-PGPUB; USPAT	OR	ON	2007/08/27 15:17
S39	30	S38 not S33	US-PGPUB; USPAT	OR	ON	2007/08/27 15:17
S40	9	("5233604" "5491690" "5521910" "6061736" "6385201" "6483808" "6661797" "6842427" "6993593").PNL	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 15:19
S41	13	(US-20030161338-\$ or US-20030108052-\$ or US-20040071089-\$ or US-20050083931-\$ or US-20040090919-\$ or US-20040008675-\$ or US-20020141403-\$).did. or (US-7072304-\$ or US-7190696-\$ or US-7079493-\$ or US-6987735-\$ or US-6831895-\$ or US-6963578-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/27 15:25
S42	30	S41 and (router with equal with cost with path with atri\$3)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:26

S43	0	S41 and (router with equal with cost with path with frame)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S44	5	S41 and (router with equal with cost with path)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S45	2	S41 and (router with equal with cost with path with data)	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S46	0	S41 and (router with equal with cost with path with (data near frame))	US-PGPUB; USPAT	OR	ON	2007/08/27 15:27
S47	12	("20020172203" "20030137978" "5394393" "5566170" "6192051" "6567382" "6643287" "6646989" "6721800" "6888838" "6987735" "7009987").PNL	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 15:59
S48	23	(Equal near Cost near Multipath) and ECMP	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/27 16:46
S49	4	("2003/0002443").URPNL	USPAT	OR	ON	2007/08/27 16:26
S50	0	("9546702").PNL	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 17:13
S51	2	("6643287").PNL	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/27 17:13
S52	20861	S51 and distribut\$4 (source adj address)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:14
S53	1	S51 and distribut\$4 and (source adj address)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:14
S54	1	S51 and distribut\$4 and cost and (source adj address)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 17:15
S55	2	("6643287").PNL	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 13:48

S56	1	S55 and (distribut\$4 with source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 08:50
S57	2	S55 and (distribut\$4 same source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 08:52
S58	1	S55 and (distribut\$4 and (source adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S59	1	S55 and (distributing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:00
S60	0	S55 and (distributing near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S61	16	{US-20040071089-\$ or US-20030002443-\$ or US-20030108052-\$ or US-20030161338-\$ or US-20040008675-\$ or US-20050083931-\$ or US-20020141403-\$ or US-20040090919-\$).did. or (US-7072304-\$ or US-6987735-\$ or US-6831895-\$ or US-7079493-\$ or US-6963578-\$ or US-7190696-\$ or US-6643287-\$ or US-6888838-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/28 09:00
S62	8	S61 and (distribut\$4 and (source adj address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:26
S63	3	S61 and (distributing near packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01
S64	3	S62 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:01

S65	0	S61 and ((distribut\$4 with (source adj address)) with cost)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:05
S66	0	S61 and ((distribut\$4 with (source adj address)) same cost)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:05
S67	2	("7190696").PN	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 09:26
S68	0	S67 and (header with distribut\$3 with source)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:27
S69	0	S67 and (header same distribut\$3 same source)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:27
S70	0	S67 and (header and distribut\$3 and source)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:28
S71	38912	((distribut\$3 near device)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:32
S72	6	((distribut\$3 near device) with ((equal dj (cost adj path)) (equal-cost adj path)) with packet)	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:34
S73	511	((distribut\$3 near device) with ((equal dj (cost adj path)) (equal-cost adj path))	US-PGRUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:35

S74	3	S73 and (source adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:37
S75	60	multiple adj (equal-cost (equal adj cost))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:37
S76	6	S75 with source	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:38
S77	1	S75 with (source near address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 09:38
S78	3	("6643287").URPN	USPAT	OR	ON	2007/08/28 10:24
S79	8	("5937162" "6041054" "6044080" "6119171" "6366563" "6438127" "6473426" "6587431").PNL	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:25
S80	1	S79 and weighted	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:28
S81	0	S79 and (cost near distribut\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S82	4	S79 and (cost and distribut\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S83	0	S79 and (cost with distribut\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S84	0	S79 and (cost same distribut\$)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:26
S85	0	S79 and (multiple adj (equal-cost (equal adj cost)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S86	0	S79 and multiple adj equal-cost	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S87	0	S79 and equal-cost	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 10:29
S88	4	S79 and equal	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:07
S89	714	weighted near distribution	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:08
S90	1	Path with cost with (weighted near distribution)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/28 12:08

S91	1	Path with cost with (weighted near distribution)	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 12:08
S92	1	Path with (cost value priority) with (weighted near distribution)	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 12:09
S93	7	path with (weighted near distribution)	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 12:56
S94	558	(equal with cost with path)	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 12:57
S95	219	S94 and weight\$2	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 12:57
S96	29	S94 with weight\$2	US-PGRUB; USPAT; USOCR	OR	ON	2007/08/28 13:45
S97	4	((("7190696") or ("20040008675")),PNL	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 13:52
S98	2	("20040264380"),PNL	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/28 14:13
S99	1	S96 and prefix	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 13:52
S100	40	first with set with instruction with compilation	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:14
S101	13	(first adj set) with instruction with compilation	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:37
S102	1	pointer with (first adj set adj instruction) with second with compilation	US-PGRUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:39

S103	1	pointer with (first near set near instruction) with second with compilation	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:39
S104	1	pointer with (first near set near instruction) with compilation	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S105	1	pointer with (first near instruction) with compilation	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S106	87	pointer with (first near instruction) and compilation	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 14:42
S107	8	((US-20040090919-\$ or US-20030108052-\$ or US-20030002443-\$ or US-20020141403-\$).did. or (US-7190696-\$ or US-6967735-\$ or US-6963578-\$ or US-6643267-\$).did.	US-PGPUB; USPAT	OR	ON	2007/08/28 17:06
S108	0	S107 and ((routing near table) same updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:07
S109	0	S107 and ((routing near table) with updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:07
S110	2	S107 and ((routing near table) and updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:11
S111	0	S107 and ((routing adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S112	0	S107 and ((rout\$3 adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S113	0	S107 and ((rout\$4 adj table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S114	0	S107 and ((rout\$4 near table) and updated)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S115	0	S107 and ((rout\$4 near table) and updat)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:12
S116	2	S107 and ((rout\$4 near table) and updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:13
S117	10365	((rout\$4 near table) and updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:13
S118	3878	((rout\$4 adj table) same updat\$4)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S119	24	S118 and equal-cost	US-PGPUB; USPAT	OR	ON	2007/08/28 17:14

S120	90570	S118 router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:33
S121	2882	S118 and router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S122	1656	S121 and cost	US-PGPUB; USPAT	OR	ON	2007/08/28 17:34
S123	149	S121 and (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:34
S124	1533	((route\$4 adj table) same update\$4) same router	US-PGPUB; USPAT	OR	ON	2007/08/28 17:35
S125	8	((route\$4 adj table) same update\$4) same router With (path near cost)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:38
S126	0	((route\$4 adj table) same update\$4) same router With port with (device near logic)	US-PGPUB; USPAT	OR	ON	2007/08/28 17:40
S127	112	((route\$4 adj table) same update\$4) same router With port	US-PGPUB; USPAT	OR	ON	2007/08/28 18:03
S128	3	((route\$4 adj table) same update\$4) same router With port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:07
S129	0	((route\$4 adj table) same update\$4) same router With port) and ((look adj up) near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:06
S130	0	((route\$4 adj table) same update\$4) With port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:07
S131	3	((route\$4 adj table) same update\$4) same port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:09
S132	3	((route\$4 adj table) with update\$4) same port) and (lookup near unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:08
S133	3	((route\$4 adj table) same update\$4) same port) and (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:09
S134	0	((route\$4 adj table) same update\$4) with (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:10
S135	10	((route\$4 adj table) same (lookup adj unit)	US-PGPUB; USPAT	OR	ON	2007/08/28 18:11
S136	3	((route\$4 adj table) same (lookup adj unit) and update	US-PGPUB; USPAT	OR	ON	2007/08/29 08:16
S137	2	("200402643807").PN.	US-PGPUB; USPAT; USCOR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 07:55
S138	2	("6643287").PN.	US-PGPUB; USPAT; USCOR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 07:55
S139	16	((route\$4 adj table) and (lookup adj unit) and update	US-PGPUB; USPAT	OR	ON	2007/08/29 08:28

S140	1972	((route\$4 adj table) near4 update)	US-PGRUB; USPAT	OR	ON	2007/08/29 09:38
S141	463	S140 and lookup	US-PGRUB; USPAT	OR	ON	2007/08/29 08:28
S142	370	S141 and port	US-PGRUB; USPAT	OR	ON	2007/08/29 08:29
S143	256	S142 and unit	US-PGRUB; USPAT	OR	ON	2007/08/29 08:29
S144	196	S142 and logic	US-PGRUB; USPAT	OR	ON	2007/08/29 08:29
S145	4	S144 and equal-cost	US-PGRUB; USPAT	OR	ON	2007/08/29 08:32
S146	4	S142 and equal-cost	US-PGRUB; USPAT	OR	ON	2007/08/29 08:32
S147	17	S142 and (logic adj unit)	US-PGRUB; USPAT	OR	ON	2007/08/29 08:33
S148	7981	((route\$4 adj table) and (lookup search (look\$3 adj up)))	US-PGRUB; USPAT	OR	ON	2007/08/29 09:44
S149	5552	((route\$4 adj table) and (lookup search (look\$3 adj up))) and router	US-PGRUB; USPAT	OR	ON	2007/08/29 09:45
S150	45	S149 and (((equal adj cost) equal-cost)) adj path	US-PGRUB; USPAT	OR	ON	2007/08/29 10:15
S151	201	(370/395.32).CCLS	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/29 10:16
S152	83	S151 and lookup	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:16
S153	3	S151 and (lookup adj unit)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18
S154	10	S151 and (lookup adj unit) with routing	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18

S155	0	S151 and (lookup adj unit) with router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:18
S156	6951	((711/216-221) or (709/238-244)).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 09:29
S157	10629	((((route\$4 forward\$4) adj (table database)) and ((lookup search (look\$3 adj up)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:31
S158	7	((((equal adj cost) equal-cost) near (path live route) same weight)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31
S159	847	S156 and S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:34
S160	1	S158 and S159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 09:45
S161	2	"20040264380"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S162	2	S157 and S158	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30
S163	4	S158 and look	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31

S164	1	"20040264380"	US-PG-PUB; USPAT	OR	ON	2008/02/23 19:15
S165	2	((("6643287") or ("7243258"))).PN.	US-PG-PUB; USPAT; USCOR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/23 19:18
S166	118	{equal-cost (equal adj cot) equalcost}	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:33
S167	105	{equal-cost (equal adj cot) equalcost} and rout\$3	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:36
S168	87	{equal-cost (equal adj cot) equalcost} and rout\$3 with packet\$1	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:36
S169	100	{equal-cost (equal adj cot) equalcost} and rout\$3 and packet\$1	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:37
S170	99	{equal-cost (equal adj cot) equalcost} and rout\$3 and packet\$1 and (select\$3 point\$3 determin\$3 separat\$3)	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:38
S171	82	((equal-cost (equal adj cot) equalcost) and rout\$3 and packet\$1 and (select\$3 point\$3 determin\$3 separat\$3)) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:41
S172	46	((equal-cost (equal adj cot) equalcost) same rout\$3 and packet\$1 and (select\$3 point\$3 determin\$3 separat\$3)) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:41
S173	13	((equal-cost (equal adj cot) equalcost) same rout\$3 same packet\$1 and (select\$3 point\$3 determin\$3 separat\$3)) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:41
S174	8	((equal-cost (equal adj cot) equalcost) same rout\$3 same packet\$1 same (select\$3 point\$3 determin\$3 separat\$3)) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:42
S175	1	"20040264380"	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:50
S176	1	S175 and instruction\$1	US-PG-PUB; USPAT	OR	ON	2008/02/25 12:51
S177	1	S175 and instruction\$1 with weight	US-PG-PUB; USPAT	OR	ON	2008/02/25 13:21
S178	1	"20040264380"	US-PG-PUB; USPAT	OR	ON	2008/02/25 15:35
S179	1	S178 and instruction\$1 with weight	US-PG-PUB; USPAT	OR	ON	2008/02/25 15:35
S180	1	S178 and (set adj instruction\$1) with weight	US-PG-PUB; USPAT	OR	ON	2008/02/25 15:35
S181	1	S178 and (set adj instruction\$1)	US-PG-PUB; USPAT	OR	ON	2008/02/25 15:35
S182	5	((equal-cost (equal adj cot) equalcost) same lookup) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 16:00
S183	5	((equal-cost (equal adj cot) equalcost) same (lookup (look adj up))) and @edc-"20030627"	US-PG-PUB; USPAT	OR	ON	2008/02/25 16:00
S184	723979	((("same" equal) same (cost matrix path))	US-PG-PUB; USPAT	OR	ON	2008/02/25 17:04
S185	58067	((("same" equal) same (cost matrix path)) same (memory buffer cache)	US-PG-PUB; USPAT	OR	ON	2008/02/25 17:06

\$186	12899	((("same" equal) with (cost matrix path)) with (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/25 17:07
\$187	724538	((("same" equal) same (cost matrix path))	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
\$188	58135	((("same" equal) same (cost matrix path)) same (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
\$189	12918	((("same" equal) with (cost matrix path)) with (memory buffer cache)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:32
\$190	576	((("same" equal) with (cost matrix path)) with (memory buffer cache)) with (index\$3 point\$3)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:33
\$191	452	\$190 and @edk*"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:34
\$192	101	((("same" equal) near2 (cost matrix path)) with (memory buffer cache)) with (index\$3 point\$3)	US-PGPUB; USPAT	OR	ON	2008/02/26 07:37
\$193	79	\$192 and @edk*"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:37
\$194	3374	(370/235,238,238.1).CCLS	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/26 07:49
\$195	3	\$190 and \$194	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 07:49
\$196	6879	((370/235,238,238.1) or (709/241,238).CCLS	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/26 07:52
\$197	94	\$189 and \$196	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 07:52
\$198	78	\$197 and @edk*"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 07:52
\$199	21960	load adj balanc\$3	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
\$200	870	\$196 and \$199	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
\$201	79	\$200 and (equal "same") adj path	US-PGPUB; USPAT	OR	ON	2008/02/26 09:26
\$202	107	\$200 and (equal "same") adj (path route)	US-PGPUB; USPAT	OR	ON	2008/02/26 09:27
\$203	76	\$202 and @edk*"20030627"	US-PGPUB; USPAT	OR	ON	2008/02/26 09:27

S204	12	S203 and equal adj cost	US-PGPUB; USPAT	OR	ON	2008/02/26 09:37
S205	1	("6643287").PN.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 10:29
S206	1	("7243258").PN.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 11:26
S207	6879	((370/235,238,238.1) or (709/241,238)).CCL.S	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/02/27 12:49
S208	130	((MOHAN) near2 (KALKUNTE)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
S209	28	((SRINIVAS) near2 (SAMPATH)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
S210	7	((KAPAGADA) near2 (KISHORE)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
S212	143	S208 S209 S210	US-PGPUB; USPAT	OR	ON	2008/02/27 12:51
S213	97	S212 and equal	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
S214	0	S212 and equal-path	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
S215	0	S212 and equal adj path	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
S216	81	S212 and pointer	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
S217	99	S212 and instruction	US-PGPUB; USPAT	OR	ON	2008/02/27 12:52
S218	1	S208 and (path near cost)	US-PGPUB; USPAT	OR	ON	2008/02/27 12:54
S219	1	("6643287").PN.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/05/30 10:10
S220	2	"20040284380"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 10:57

S221	2	S220 and weight\$3	US-PGRUB; USPAT; USCOR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/30 10:57
S222	76	((load adj balance\$3) with equal with cost	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:07
S223	4330328	@ed< = "20030627"	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:07
S224	33	S222 and S223	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:07
S225	69	((load adj balance\$3) with (equal adj cost)	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:10
S226	28	S223 and S225	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:10
S227	0	((load adj balance\$3) with (equal adj cost) with weight	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:24
S228	18	((load adj balance\$3) with (equal adj cost) with (traffic congestion)	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:24
S229	8	S223 and S228	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:25
S230	7	((load adj balance\$3) with (equal adj cost) with distribution	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:39
S231	4	S223 and S230	US-PGRUB; USPAT	OR	OFF	2008/07/03 13:40
S232	17512	((370/230,230.1,235.1,237,238,238.1,351,392,395.3,395.31,395.32,395.4,395.41,395.42) or (709/238-244)).CCLS.	US-PGRUB; USPAT; USCOR; FPPS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/18 09:52
S233	4331202	@ed< = "20030627"	US-PGRUB; USPAT	OR	OFF	2008/07/18 09:54
S234	10525	S232 and S233	US-PGRUB; USPAT	OR	OFF	2008/07/18 09:54
S235	277	((equal adj cost) equal-cost "same cost") with (weight\$2 traffic routing)	US-PGRUB; USPAT	OR	OFF	2008/07/18 10:11
S236	58	S234 and S235	US-PGRUB; USPAT	OR	OFF	2008/07/18 10:11
S237	247	(370/395.41).CCLS.	US-PGRUB; USPAT; USCOR; FPPS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/18 10:15
S238	3585	((equal adj cost) equal-cost "same cost")	US-PGRUB; USPAT	OR	OFF	2008/07/18 10:15
S239	2	S233 and S237 and S238	US-PGRUB; USPAT	OR	OFF	2008/07/18 10:16

S240	1972	{370/395.3,395.31,395.32,395.4,395.42}.CQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/18 10:17
S241	25	S233 and S240 and S238	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:18
S242	10	S241 and weight\$2	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:18
S243	12	S241 and (weight\$2 multipath)	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:20
S244	295	((equal adj cost) equal-cost "same cost") with (weight\$2 traffic routing hop)	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:48
S245	181	S244 and S233	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:48
S246	259	((equal adj cost) equal-cost "same cost") with (weight\$2 traffic hop loadbalanc\$3 balanc\$3 multipath)	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:52
S247	163	S246 and S233	US-PGPUB; USPAT	OR	OFF	2008/07/18 10:52
S248	5	((equal adj cost) equal-cost "same cost") with (packet with weight\$2)	US-PGPUB; USPAT	OR	OFF	2008/07/18 11:06
S249	3	weight with correspon\$4 with packet with (memory buffer cache queue storage)	US-PGPUB; USPAT	OR	OFF	2008/07/18 11:27
S250	16	weight with (correspon\$4 related linked) with (packet datagram) with (memory buffer cache queue storage)	US-PGPUB; USPAT	OR	OFF	2008/07/18 11:29
S251	3	((equal adj cost) equal-cost "same cost") with (packet near2 weight\$2)	US-PGPUB; USPAT	OR	OFF	2008/07/18 11:32
S252	48	((("20030108063") or ("20040037322") or ("20040125803") or ("20040264380") or ("20050213585") or ("20060262735") or ("20070189310") or ("3315580") or ("5491801") or ("5519704") or ("5687168") or ("5742820") or ("5968176") or ("6046999") or ("6084858") or ("6111877") or ("6112248") or ("6144671") or ("6147999") or ("6154587") or ("6175874") or ("6215779") or ("6215779") or ("6226673") or ("6226673") or ("6246684") or ("6253230") or ("6331984") or ("6393474") or ("6404739") or ("6408000") or ("6418476") or ("6421321") or ("6424662") or ("6470389") or ("6473424") or ("6636895") or ("6667975") or ("6862279") or ("6894978") or ("6895432") or ("6904017") or ("6934293") or ("6985443") or ("7027440") or ("7062571") or ("7085272") or ("7088716") or ("7206861") or ("7304999"))).PNL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/07/18 12:42
S253	3	S252 and weight	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:43
S254	25	S252 and equal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:44

\$255	2	\$252 and (equal adj cost)	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:45
\$256	2	"20040264380"	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:51
\$257	0	\$256 and weight with correspon\$5	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:55
\$258	0	\$256 and weight with packet	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:55
\$259	0	\$256 and (weight with packet)	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:55
\$260	1	\$256 and (weight same packet)	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:55
\$261	1	\$256 and (number)	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 12:56
\$262	168	(load adj balanc\$3) with pend\$3	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:09
\$263	491	packet with weight with (memory buffer queue cache storage)	US_PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:14

S264	241	S233 and S263	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:14
S265	1	packet with weight with (memory buffer queue cache storage) with load with balanc\$3	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:16
S266	294	packet with (memory buffer queue cache storage) with load with balanc\$3	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:16
S267	3	packet with weigh\$3 with(memory buffer queue cache storage) with load with balanc\$3	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:17
S268	64495	weight adj distribution	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:21
S269	159	((weight adj distribution) with (memory buffer cache queue)	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:21
S273	4328619	@edc-20030627	US-RGPUB; USPAT	OR	ON	2008/07/18 13:29
S275	3888	((load adj balanc\$3) with (queue memory buffer storage cache)	US-RGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/18 13:33
S276	1291	((equal-cost (equal adj cost) equalcost))	US-RGPUB; USPAT	OR	ON	2008/07/18 13:35
S277	13	S273 and S275 and S276	US-RGPUB; USPAT	OR	ON	2008/07/18 13:35
S278	22	((equal-cost (equal adj cost) equalcost)) with weight	US-RGPUB; USPAT	OR	ON	2008/07/18 13:55
S279	14	S273 and ((equal-cost (equal adj cost) equalcost)) with weight	US-RGPUB; USPAT	OR	ON	2008/07/18 13:55

S280	2	S273 and (((equal-cost (equal adj cost) equalcost)) with weight) and hash\$3	US:RGPUB; USPAT	OR	ON	2008/07/18 13:59
------	---	--	--------------------	----	----	---------------------

7/18/2008 6:17:47 PM

C:\Documents and Settings\nmahmoudzadeh\My Documents\EAST\Workspaces\10825656_20040264380.wsp